

VpCI[®] Electrical & Electronic Products

for the protection of electronics,
enclosures, instrumentation,
controls, and O.E.M. applications.



Cortec VpCIs® for Electrical & Electronic Products

Cortec® VpCI™ Emitting Systems

Cortec offers a complete full-service line of products in convenient-to-use sizes. Cortec products are an excellent quality assurance tool for everything from major manufacturers of electronics to do-it-yourself home-built kits. Corrosion can be stopped at any step from manufacturing to final installation. Integrate all your electronic/electrical protection needs from a single source supplier.


Cortec® Emitting Systems Offer Reliability, Service Life and Cost Reduction.

Corrosion of complex electrical and electronic equipment is an increasingly serious problem, causing expensive failures. Corrosion occurs during manufacturing, shipping, storage and field operations. It can be caused by:

- Salt, moisture and airborne contaminants, hydrogen sulfide, sulfur dioxide, ammonia or acid rain
- Galvanically-induced attack
- Equipment operation in non-controlled atmospheres

With Cortec Emitting Systems, sensitive equipment is protected against corrosion, thereby extending its life and reducing the cost of expensive repairs.

How Cortec® VpCI Emitters protect your equipment.



Cortec VpCI devices, emitters and tapes are designed to protect products, components or parts against corrosion when enclosed in non-ventilated housings, control boxes or other enclosures. The VpCI Emitter releases a vapor into the interior of the package. The vapor then deposits on the metal surface and forms a protective molecular layer. This layer of VpCI provides multimetal protection and helps reduce corrosion from moisture attack in the enclosure.

Cortec® products are environmentally friendly.

Many toxic materials such as lead, chromium, cadmium, nickel and zinc are presently being used by electronics manufacturers to avoid the effects of corrosion. Cortec products prevent corrosion and are non-toxic, safe to handle and apply, and free of nitrites and silicones. They allow manufacturers to develop environmentally friendly "green" products while using fewer toxic materials.

Cortec® VpCI® products solve corrosion problems in design, packaging and field operation of complex equipment.

Cortec VpCI products are excellent for use in the following applications:

- Electrical panels
- Electronic enclosures
- Tool and spare part boxes
- Electromechanical controls
- Switch gear and relay cabinets
- Marine, aerospace and military instruments
- Light fixtures, monitoring and alarm systems
- Junction fuse boxes and wire ways, bus bars
- Computers and telecommunications equipment
- Control panels for manufacturing equipment
- Scientific instruments
- Many more!

Features

- Provides continuous long-term corrosion protection
- Economical to apply
- Effective in polluted and humid atmospheres
- Non-toxic and safe to handle and apply
- Free of nitrites, silicones and phosphates
- The molecular VpCI™ layer does not interfere with electrical, optical or mechanical surface properties
- Multimetal protection
- Adhesive backing allows fast, no-tool installation
- Does not require removal prior to start-up
- Protects during equipment operation
- No or surface preparation required
- Multifunctional protection: VpCI, static dissipating and desiccant ability
- Compact space-saving design suitable for OEM applications
- Low V.O.C. values; exceeds Southern California Clean Air Act and other local environmental requirements

Benefits

- Cost Reduction
 - Reduced consumption
 - Materials
 - Labor
 - Time
- Value Added Product/Service
- Peace of Mind During Shipping/Storage
- Less Periodic Maintenance
- Reduced Surface Preparation

VpCI® Electrical & Electronic Products



Cortec® VpCI-101 Patented

- Patented VpCI impregnated foam
- Continuous corrosion protection
- Non-toxic
- NSN# 6850-01-338-1392
- MIL-B-81705C
- FDA approved
- USDA approved

Cortec® VpCI-105 and VpCI-111 Patented

- One way Tyvek release membrane
- Nitrite, silicone and phosphate free
- Economical protection
- Long lasting protection
- Non-toxic
- Easy installation
- No residue

Cortec® VpCI-110 Patented

- Foam emitter with a breathable, open-cell construction
- Protects 10 cubic feet (283 liters) of enclosed space for up to two years
- Meets NSN# 6850-01-336-1343.
- Self-stick back and self-stick label on which to write the installation date
- FDA, USDA approved





Cortec® VpCI-125 Patented

- VpCI impregnated film
- Excellent corrosion protection
- Superior dissipative qualities
- MIL SPEC# B-22020C II
- MIL SPEC# B-81705C II
- MIL SPEC# PRF-817050
- FDA approved
- USDA approved



Cortec® VpCI-150 and VpCI-170 Patented

- VpCI impregnated foam tapes with adhesive backing
- Corrosion protection lasts up to two years.
- NATO# 8030-00-244-1299, MIL-B-81075C, NSN 8030-01-208-1769
- FDA, USDA approved.

ElectriCorr® VpCI-286

- Conforms to surface
- Continuous corrosion protection
- Fast drying
- No VOC's
- UV indicator
- Vibration resistant
- Extends board life

ElectriCorr® VpCI-238

- Instant corrosion/ oxidation protection
- No CFC's
- Displaces moisture
- Anti-static
- 2 year indoor protection
- NSN# 6850-01-413-9361

ElectriCorr™ VpCI™ 248

- Non-flammable
- Does not alter electrical resistance
- Protects electronic and electrical contacts
- Fast drying
- Non-conductive
- Excellent cleaning action
- NSN# 6850-01-413-9361



ElectriCorr® VpCI-239

- Excellent outdoor corrosion protection
- Designed for aggressive environments
- Non-conductive
- Anti-static
- Perfect for exposed contacts and relays
- UV Indicator

Corwipe® 500 Patented

- Strong Dupont Sontara® wipe
- Cleaner/Degreaser
- Anti-Stat
- Removes surface rust
- Corrosion inhibitor for multimetals
- Disposable



Corrosorbers™

- Absorbs corrosive gases
- Irreversible reaction
- Non-toxic
- Superior performance against SO2
- Changes color as it is used up
- Quick installation



Cor-PaK® I MUL Pouches Patented

- No cleaning
- Self replenishing
- 24-month protection
- Multi-metal protection
- Dual properties- dessicant/corrosion inhibitor

BUYER'S GUIDE

| | PRODUCT | DESCRIPTION | PROTECTION | PACKAGING | APPLICATIONS |
|-------------|-----------------------|---|---|--|---|
| EMITTERS | VpCI-101 | Vapor phase Corrosion Inhibiting device with adhesive backing 3" L x 1.25" W x 1/4" H (76 mm L x 32 mm W x 6 mm H) Conforms to MIL-B-81075C, NSN 6850-01-338-1392. Patented, FDA, USDA Approved. | 1.0 ft ² (.03 m ²) | 50/carton | Operating, packaged and stored electrical equipment, marine navigation and communication equipment, aerospace electrical controls, electric motors, switching equipment, fuse boxes, medical equipment, electrical wireways, terminal boxes, scientific and measuring instruments, telecommunications equipment, control panels for manufacturing and processing equipment. |
| | VpCI-105 | Vapor phase Corrosion Inhibiting Emitter with breathable membrane 2.3" diameter x 0.75" H (58.4 mm diameter x 19 mm H) NSN 6850-01-406-2060, NSN 6850-01-408-9025. FDA, USDA Approved. | 5.0 ft ² (.14 m ²) | 20/carton | |
| | VpCI-110 | Vapor phase Corrosion Inhibiting Emitter 2.5" diameter x 2" H (64 mm diameter x 51 mm H) NSN 6850-01-336-1343. Patented, FDA, USDA Approved. | 10.0 ft ² (.28 m ²) | 12/carton | |
| | VpCI-111 | Vapor phase Corrosion Inhibiting Emitter with breathable membrane 2.3" diameter x 1.27" H (58.4 mm diameter x 32.3 mm H) NSN 6850-01-406-2060, NSN 6850-01-408-9025. FDA, USDA Approved. | 11.0 ft ² (.31 m ²) | 10/carton | |
| | VpCI-133 | Vapor phase Corrosion Inhibiting Squares with adhesive backing 1" L x 1" W x 1/4" H (2.5 cm x 2.5 cm x 0.64 cm) Conforms to MIL-B-81075 | 0.33 ft ² (.01 m ²) | Approx. 1000/carton | |
| | VpCI-150 | Vapor phase Corrosion Inhibiting Foam Tape with adhesive backing 12" L x 3/4" W x 1/4" H (3.7 m x 19 mm x 6 mm) Conforms to MIL -B-81075C, NSN 8030-01-208-1769, NATO 8030-00-244-1299. Patented, FDA, USDA Approved. | 0.4 ft ² /in. (.005 m ² /cm) | 6 rolls/carton | |
| | VpCI-170 | Vapor phase Corrosion Inhibiting Foam Tape with adhesive backing 20" L x 2" W x 1/4" H (6.1 m x 51 mm x 6 mm) Conforms to MIL -B-81075C, NSN 8030-01-208-1769, NATO 8030-00-244-1299. Patented, FDA, USDA Approved. | 1.0 ft ² /in. (.03 m ² /cm) | 1 roll/carton | |
| PACKAGING | VpCI-125 | Static dissipative and Vapor phase Corrosion Inhibiting bags and sheeting, Conforms to MIL-B-22019C, MIL-B-22020C, MIL-B-81705C Type II, and MIL-PRF-81705D. Patented, FDA, USDA Approved. | Varies | Standard and custom sizes | For storage and/or packaging of sensitive electronic equipment. For wrapping or inserting with packaging material. |
| | VpCI-137 | Static dissipative Vapor phase Corrosion Inhibiting foam 130" L x 54" W x .25" (39.6m x 1.35m x 0.625 cm) Conforms to MIL-B-22110B, MIL-B-81705C Type II, MIL-PRF-81705D, NSN 6950-01-426-3539. Patented, FDA, USDA Approved. | Varies | Custom Available | |
| | Cor-Pak® 1 MUL | Multifunctional pouch with VpCI/desiccant action 2.5" L x 2.5" W x .125" H (6.4 cm x 6.4 cm x 0.3 cm) Meets SA 8030012081769. | 1.0 ft ² (.03 m ²) | Pouch with VpCI 300/carton | Small voids, electronics, parts shipping, packaging; dustless |
| CORROSORBER | Corrosorber™ | Capsule for absorption of corrosive gases 2.3" diameter x 1.27" H (58.4 mm diameter x 32.3 mm H) | 10.0 ft ² (.28 m ²) | 10/carton | Corrosorbers absorb hydrogen sulfide and other corrosive gases. |
| CORWIPE | Corwipe® 500 | Lint-free Dupont Sontara® wipe for cleaning and protecting equipment, tools and all raw and coated metals. This strong, non-hazardous, water-based is safe to use even with food processing equipment. Patented. | varies | 12 wipes per re-sealable foil pouch/12 foil pouches per carton | Test equipment, computers, PC boards, aircraft and satellite components, audio and video equipment, power terminals, any sensitive raw or painted metal parts or equipment. |
| SPRAY | ElectriCorr® VpCI-238 | Multifunctional contact cleaner and multimet corrosion inhibitor 12 oz. (340 g) cans, drums. Conforms to NSN 6850-01-413-9361. | 50.0 ft ² /can (4.65 m ² /can) | 6 cans/carton 5 gal (19 l) 55 gal (208 l) | Integrated circuitry, bus bars, electrical stations |
| | ElectriCorr® VpCI-239 | Outdoor version of VpCI-238 12 oz. (340 g) cans, drums | 50.0 ft ² /can (4.65 m ² /can) | 6 cans/carton 5 gal (19 l) 55 gal (208 l) | Integrated circuitry, bus bars, outdoor electrical connections |
| | ElectriCorr® VpCI-248 | Non-flammable contact cleaner and multimet corrosion inhibitor 12 oz. (340 g) cans, drums. Conforms to NSN 6850-01-413-9361. | 50.0 ft ² /can (4.65 m ² /can) | 6 cans/carton 5 gal (19 l) 55 gal (208 l) | Integrated circuitry, bus bars, electrical stations |
| | ElectriCorr® VpCI-286 | Acrylic-based conformal coating 11 oz. (312 g) aerosol cans, drums | 240-320 ft ² /gal @ 1 mil (6-8 m ² /1 @ 25 microns) | 6 cans/carton 5 gal (19 l) 55 gal (208 l) | Manufacture and field repair of printed circuit boards |

Visit our website for more information on Cortec® Vapor phase Corrosion Inhibitors™.

CortecVpCI.com

LIMITED WARRANTY

All statements, technical information and recommendations contained herein are based on tests Cortec Corporation believes to be reliable, but the accuracy or completeness thereof is not guaranteed.

Cortec Corporation warrants Cortec® products will be free from defects when shipped to customer. Cortec Corporation's obligation under this warranty shall be limited to replacement of product that proves to be defective. To obtain replacement product under this warranty, the customer must notify Cortec Corporation of the claimed defect within six months after shipment of product to customer. All freight charges for replacement product shall be paid by customer.

Cortec Corporation shall have no liability for any injury, loss or damage arising out of the use of or the inability to use the products.

BEFORE USING, USER SHALL DETERMINE THE SUITABILITY OF THE PRODUCT FOR ITS INTENDED USE, AND USER ASSUMES ALL RISK AND LIABILITY WHATSOEVER IN CONNECTION THEREWITH. No representation or recommendation not contained herein shall have any force or effect unless in a written document signed by an officer of Cortec Corporation.

THE FOREGOING WARRANTY IS EXCLUSIVE AND IN LIEU OF ALL OTHER WARRANTIES, EXPRESS, IMPLIED OR STATUTORY, INCLUDING WITHOUT LIMITATION ANY IMPLIED WARRANTY OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE. IN NO CASE SHALL CORTEC CORPORATION BE LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES.



Distributed by:

4119 White Bear Parkway, St. Paul, MN 55110 USA
Phone (651) 429-1100, Fax (651) 429-1122
Toll Free (800) 4-CORTEC, E-mail: info@cortecvci.com
www.CortecVpCI.com

printed on recycled paper 10% post consumer

Revised 5/03 Supercedes 1/02-10M. Cortec®, Cor-Pak®, Corrosorber™, Corwipe®, ElectriCorr®, Total Corrosion Control and VpCI® are trademarks of Cortec Corporation.
© Cortec Corporation 2003. All rights reserved.



Certificate No. 70781

Certificate No. 81867